

CATALOG

YOUR BUILDING'S HYGIENE STARTS AT THE ENTRANCE

WE HOLD THE BEST SOLUTIONS

www.limpope.pt


RETILÍNEO MODELS



REF. 10012



REF. 10013



REF. 10014


Limpopé®

SPECIFICATIONS


REF. 10012 / REF. 10013 / REF. 10014

STRUCTURE	Ribbed rubber inserts set in H-shaped aluminum profile.
CONNECTION	Galvanized steel wire ropes (2mm) locked with solderless cable nipples (8mm).
PROFILE SPACING	Rubber spacers (REF. 10012 - 13 mm / REF. 10013 - 6 mm / REF. 10014 - 3 mm)
THICKNESS	22 / 23 mm
DIMENSIONS	All available, custom-made.
WEIGHT PER M2	REF. 10012 - 11,3 Kg / REF. 10013 - 15,5 Kg / REF. 10014 - 18 Kg
COLORS	Natural aluminum with optional anodized finish in black or other colors. Rubber in black, gray, red or others.
RESISTANCE	Adequate for high pedestrian traffic.
DRAINAGE PROPERTIES	Excellent drainage capacity. Its straight shape allows higher hygiene levels, avoiding parasite and dirt accumulation.
INDICATED FOR	Outdoor or indoor areas, with or without recessed flooring. It can include aluminum ramp frames.
ROLLABLE	Yes. Easy for transportation or maintenance.
SOUND-ABSORBING	The robustness of the rubber structure assures the absence of noise.
ANTI-SLIP SURFACE	Ribbed rubber profile used which reinforces the mat's anti-slip properties.
MAINTENANCE	Only regular cleaning without corrosive products.



REF. 10012




REF. 10013



REF. 10014



VIP MODELS



REF. 10222-L

REF. 10222

REF. 10224

REF. 10225


Limpopé®

SPECIFICATIONS


REF. 10222-L / REF. 10222 / REF. 10224 / REF. 10225

STRUCTURE	REF. 10222 - Ribbed polyamide carpet inserts set in H-shaped aluminum profile. REF. 10224 - Ribbed polyamide carpet combined with ribbed PVC inserts set in H-shaped aluminum profile. REF. 10225 - Ribbed PVC inserts set in H-shaped aluminum profile.
CONNECTION	Flexible, with H-shaped PVC connection profile.
THICKNESS	REF. 10222-L - 18 mm / REF. 10222 - 18 mm / REF. 10224 - 20 mm / REF. 10225 - 20 mm
WEIGHT PER M2	REF. 10222-L - 12,15 Kg / REF. 10222 - 12,15 Kg / REF. 10224 - 14,65 Kg / REF. 10225 - 16,43 Kg
COLORS	REF. 10222-L - Natural aluminum / Polyamide textile fiber in black, dark gray and light gray. REF. 10222 - Natural aluminum / Polyamide textile fiber in black, dark gray, grayish blue, green, blue, brown, burgundy or combined. REF. 10224 - Natural aluminum / Gray or black PVC / Textile fibers available in several colors. REF. 10225 - Natural aluminum / PVC in black, gray, red and other colors. Optional anodized finish in black and other colors for the aluminum components.
RESISTANCE	Adequate for high pedestrian traffic.
DRAINAGE PROPERTIES	Good drainage capacity and breathing system, allowing higher hygiene levels.
INDICATED FOR	REF. 10222-L / REF. 10222 - Covered outdoor or indoor areas, with or without recessed flooring. It can include aluminum ramp frames. REF. 10224 / REF. 10225 - Outdoor or indoor areas. Suitable for recessed flooring or non-recessed flooring after equipped with aluminum ramp frames
ROLLABLE	Yes. Easy for transportation or maintenance.
SOUND-ABSORBING	The robustness of the structure assures excellent stability and noise absence.
ANTI-SLIP SURFACE	All materials used prevent slipping.
MAINTENANCE	Only regular cleaning without corrosive products. Vacuum cleaning is advised on the carpet models.
CUSTOMIZATION	Possible upon request.


REF. 10222-L





REF. 10222



REF. 10224



REF. 10225



MADE IN PORTUGAL

PAGE 2

www.limpope.pt

ADDRESS
Rua 25 de Abril N° 476 - Pevidém
4835-296 Guimarães

CONTACT INFORMATION
(+351) 253 577 411
(+351) 938 625 615

WEB
geral@limpope.pt
www.limpope.pt

VIP MODELS



REF. 10226

REF. 10233

REF. 10231

REF. 10229


Limpopé®

SPECIFICATIONS


REF. 10226 / REF. 10233 / REF. 10231 / REF. 10229

STRUCTURE	REF. 10226 - Cassette brush inserts set in H-shaped aluminum profile. REF. 10233 - Combined cassette brush and carpet inserts set in H-shaped aluminum profile. REF. 10231 - Combined cassette brush, carpet and ribbed PVC inserts set in H-shaped aluminum profile. REF. 10229 - Combined cassette brush and ribbed PVC inserts set in H-shaped aluminum profile.
THICKNESS	REF. 10226 / REF. 10233 / REF. 10231 / REF. 10229 - 20 / 21mm
WEIGHT PER M2	REF. 10226 - 13,93 Kg / REF. 10233 - 12,86 Kg / REF. 10231 - 13,93 Kg / REF. 10229 - 15 Kg
COLORS	REF. 10226 - Natural aluminum / Black, gray brushes (Red, Yellow, Blue, Brown available upon request). REF. 10233 - Natural aluminum / Optional color combination for both brushes and textile fibers. REF. 10231 - Natural aluminum / Optional color combination for brushes, textile fibers and PVC components. REF. 10229 - Natural aluminum / Optional color combination for both brushes and PVC components.
RESISTANCE	Adequate for high pedestrian traffic.
DRAINAGE PROPERTIES	Good drainage capacity and breathing system, allowing higher hygiene levels.
INDICATED FOR	REF. 10233 / REF. 10231 - Covered outdoor or indoor areas, with or without recessed flooring. It can include aluminum ramp frames. REF. 10226 / REF. 10229 - Outdoor or indoor areas, with or without recessed flooring. It can include aluminum ramp frames.
ROLLABLE	Yes. Easy for transportation or maintenance.
SOUND-ABSORBING	The robustness of the structure assures excellent stability and noise absence.
ANTI-SLIP SURFACE	All materials used prevent slipping.
MAINTENANCE	Only regular cleaning without corrosive products. Vacuum cleaning is advised on the carpet models.


REF. 10226




REF. 10233



REF. 10231



REF. 10229



MADE IN PORTUGAL

PAGE 3


www.limpope.pt

ADDRESS
Rua 25 de Abril Nº 476 - Pevidém
4835-296 Guimarães

CONTACT INFORMATION
(+351) 253 577 411
(+351) 938 625 615

WEB
geral@limpope.pt
www.limpope.pt

VIP JUNIOR MODELS



REF. 10122

REF. 10124

REF. 10125


Limpopé®

SPECIFICATIONS


REF. 10122 / REF. 10124 / REF. 10125

SPECIFICATIONS	REF. 10122 - Ribbed carpet inserts set in aluminum profile. REF. 10124 - Combined ribbed PVC and carpet inserts set in aluminum profile. REF. 10125 - Ribbed PVC inserts set in aluminum profile.
CONNECTION	Flexible, with H-shaped PVC connection profile.
THICKNESS	REF. 10122 / REF. 10124 / REF. 10125 - 13 / 15 mm
WEIGHT PER M2	REF. 10122 - 10 Kg / REF. 10124 - 13 Kg / REF. 10125 - 15,5 Kg
COLORS	REF. 10122 - Natural aluminum / Ribbed carpet textile in black, gray, grayish blue or brown. REF. 10124 - Natural aluminum / PVC in black, gray or red, combined with black, gray, grayish blue or brown carpet. REF. 10125 - Natural aluminum / PVC in black, gray or other colors upon request. Optional anodized finish in black or other colors for the aluminum components.
RESISTANCE	Adequate for high pedestrian traffic.
DRAINAGE PROPERTIES	Good drainage capacity and breathing system, allowing higher hygiene levels.
INDICATED FOR	REF. 10122 - Covered outdoor or indoor areas, with or without recessed flooring. It can include aluminum ramp frames. REF. 10124 / REF. 10125 - Outdoor or indoor areas, with or without recessed flooring. It can include aluminum ramp frames.
ROLLABLE	Yes. Easy for transportation or maintenance.
SOUND-ABSORBING	Structure equipped with rubber inserts on the aluminum profile base, assuring excellent stability and noise absence.
ANTI-SLIP SURFACE	All materials used prevent slipping.
MAINTENANCE	Only regular cleaning without corrosive products. Vacuum cleaning is advised on the carpet models.




REF. 10122




REF. 10124



REF. 10125



VIP JUNIOR MODELS



REF. 10126

REF. 10129

REF. 10131

REF. 10133


Limpopé®

SPECIFICATIONS


REF. 10126 / REF. 10129 / REF. 10131 / REF. 10133

STRUCTURE	REF. 10126 - Cassette brush inserts set in aluminum profile. REF. 10129 - Combined cassette brush with ribbed PVC inserts set in aluminum profile. REF. 10131 - Combined cassette brush, ribbed PVC and ribbed carpet inserts set in aluminum profile. REF. 10133 - Combined cassette brush with ribbed carpet inserts set in aluminum profile.
CONNECTION	Flexible, with H-shaped PVC connection profile.
THICKNESS	REF. 10126 / REF. 10129 / REF. 10131 / REF. 10133 - 14 / 15 mm
WEIGHT PER M2	REF. 10126 - 12,2 Kg / REF. 10129 - 13,5 Kg / REF. 10131 - 12 Kg / REF. 10133 - 10,5 Kg
COLORS	REF. 10126 - Natural aluminum / Cassette brushes in black, gray, red or combined. REF. 10129 - Natural aluminum / PVC and cassette brushes in black, gray, red or combined. REF. 10131 - Natural aluminum / Optional color combination for the cassette brushes, PVC and carpet components. REF. 10133 - Natural aluminum / Optional color combination for the cassette brushes and carpet components. Optional anodized finish in black or other colors for the aluminum components.
RESISTANCE	Adequate for high pedestrian traffic.
DRAINAGE PROPERTIES	Good drainage capacity and breathing system, allowing higher hygiene levels.
INDICATED FOR	REF. 10126 / REF. 10129 - Outdoor or indoor areas, with or without recessed flooring. It can include aluminum ramp frames. REF. 10131 / REF. 10133 - Covered outdoor or indoor areas, with or without recessed flooring. It can include aluminum ramp frames.
ROLLABLE	Yes. Easy for transportation and maintenance.
SOUND-ABSORBING	Structure equipped with rubber inserts on the aluminum profile base, assuring excellent stability and noise absence.
ANTI-SLIP SURFACE	All used materials prevent slipping.
MAINTENANCE	Only regular cleaning without corrosive products. Vacuum cleaning is advised on the carpet models.


REF. 10126






REF. 10129




REF. 10131



REF. 10133



VIP LARGO MODELS



REF. 10134

REF. 10136

REF. 10137

REF. 10135


Limpopé®

SPECIFICATIONS


REF. 10134 / REF. 10136 / REF. 10137 / REF. 10135

STRUCTURE	Ribbed polyamide carpet / PVC / cassette brush inserts set in aluminum profile.
CONNECTION	Flexible, with H-shaped PVC connection profile.
THICKNESS	12 / 13 mm
WEIGHT PER M2	10 / 12 Kg
COLORS	Natural aluminum / Optional anodized finish in black or other colors. Polyamide carpet - Black / dark gray / light gray / blue / red / brown / camel / others. PVC - black or gray. Cassette brush - Black, gray or others.
RESISTANCE	Adequate for high pedestrian traffic. REF. 10135 - Adequate for moderate pedestrian traffic.
DRAINAGE PROPERTIES	Good drainage capacity and breathing system, allowing higher hygiene levels.
INDICATED FOR	Covered outdoor or indoor areas, with or without recessed flooring. It can include aluminum ramp frames.
ROLLABLE	Easy for transportation or maintenance.
SOUND-ABSORBING	The robustness of the structure assures excellent stability and noise absence.
ANTI-SLIP SURFACE	All materials used prevent slipping.
MAINTENANCE	Only regular cleaning without corrosive products. Vacuum cleaning is advised on the carpet models.
CUSTOMIZATION	Possible upon request.


REF. 10134




REF. 10136



REF. 10137



REF. 10135



MADE IN PORTUGAL

PAGE 6

www.limpope.pt

ADDRESS
Rua 25 de Abril N° 476 - Pevidém
4835-296 Guimaraes

CONTACT INFORMATION
(+351) 253 577 411
(+351) 938 625 615

WEB
geral@limpope.pt
www.limpope.pt

COMPACT MODELS



REF. 10020

REF. 10020-D

REF. 10021

REF. 10021-OND


Limpopé®

SPECIFICATIONS


REF. 10020 / REF. 10020-D / REF. 10021 / REF. 10021-OND

STRUCTURE	<p>REF. 10020 - Ribbed square tube aluminum profile (15x15x1.5mm), combined with ribbed rubber/PVC profile (18mm).</p> <p>REF. 10020-D - Ribbed square tube aluminum profile (15x15x1.5mm), combined with double ribbed rubber/PVC profile (18mm).</p> <p>REF. 10021 - Ribbed square tube aluminum profile (15x15x1.5mm), placed 3mm apart, combined with ribbed rubber/PVC profile (18mm).</p> <p>REF. 10021-OND - Ribbed square tube aluminum profile (15x15x1.5mm), combined with ribbed rubber/PVC profile (18mm), forming a sinusoidal shape. Use of rubber spacers between the bars</p>
CONNECTION	Through a set of A2, 3mm stainless steel threaded rods, and A2M3 screw nuts, applied every 15cm, allowing safety and robustness.
THICKNESS	18 / 19 mm
WEIGHT PER M2	REF. 10020 - 19 Kg / REF. 10020-D - 22,5 Kg / REF.10021 - 15 Kg / REF. 10021-OND - 15 Kg
COLORS	Natural aluminum / Optional anodized finish in black or other colors / PVC in black, gray or others.
RESISTANCE	REF. 10020 / 10020-D - Adequate for very high pedestrian traffic, including shopping carts and others. REF. 10021 / 10021-OND - Adequate for very high pedestrian traffic.
INDICATED FOR	Outdoor or indoor areas, with or without recessed flooring. It can include aluminum ramp frames.
DOUBLE-SIDED	Yes.
SOUND-ABSORBING	Yes. These models are set on their rubber profiles in both sides.
ANTI-SLIP SURFACE	All materials used prevent slipping.
MAINTENANCE	Only regular cleaning without corrosive products.
MOST EFFECTIVE IN	Large commercial establishments, hospitals, transport stations, car stands, highway rest stops, etc...


REF. 10020




REF. 10020-D



REF. 10021



REF. 10021-OND



MADE IN PORTUGAL

PAGE 7


www.limpope.pt

ADDRESS
Rua 25 de Abril Nº 476 - Pevidém
4835-296 Guimaraães

CONTACT INFORMATION
(+351) 253 577 411
(+351) 938 625 615

WEB
geral@limpope.pt
www.limpope.pt

ONDULADO MODELS



REF. 10010 / REF. 10011



Limpopé®

SPECIFICATIONS	REF. 10010 / REF. 10011
STRUCTURE	REF. 10010 - System made of 20mm x 3mm rubber profile reinforced with 13mm x 3mm aluminum flats, forming a sinusoidal shape. REF. 10011 - System made of 25mm x 3mm rubber profile reinforced with 13mm x 3mm aluminum flats, forming a sinusoidal shape.
CONNECTION	Galvanized steel wire ropes (2mm) locked with solderless cable nipples and applied every 20cm.
THICKNESS (Total)	REF. 10010 - 20 mm / REF. 10011 - 25 mm
DIMENSIONS	All available, custom-made.
WEIGHT PER M2	REF. 10010 - 8,8 Kg / REF. 10011 - 9,8 Kg
COLORS	Black rubber - Natural aluminum.
RESISTANCE	Adequate for high pedestrian traffic.
DRAINAGE PROPERTIES	Excellent drainage capacity for both solids and liquids.
INDICATED FOR	Outdoor or indoor areas, with or without recessed flooring. It can include aluminum ramp frames.
ROLLABLE	Yes. Easy for transportation or maintenance.
SOUND-ABSORBING	Yes. These models are set on their rubber profiles in both sides.
DOUBLE-SIDED	Yes.
ANTI-SLIP SURFACE	The sinusoidal shape prevents slipping.
MAINTENANCE	Only regular cleaning without corrosive products.

THICKNESS 20 or 25mm



REF. 10010 / REF. 10011



CAIRO MODELS



REF. 10071 (Natural color)

REF. 10073 (Black)

REF. 10073 (Brown)

REF. 10073 (Gray)

Limpopé®

SPECIFICATIONS	REF. 10071 / REF. 10073
UPPER MATERIAL	100% natural coconut fiber.
UNDERSIDE MATERIAL	PVC
THICKNESS	17 mm to 23 mm
WEIGHT PER M2	6,5 Kg
RESISTANCE	Adequate for moderate pedestrian traffic.
DIMENSIONS	2m wide rolls (maximum).
COLORS	Natural coconut, brown, black, gray and others.
INDICATED FOR	Covered outdoor or indoor areas with recessed or non-recessed flooring.
MAINTENANCE	Only vacuum cleaning is advised.
CUSTOMIZATION	Optional logo printing (REF. 10072)

REF. 10072



THICKNESS 17 mm

17mm



THICKNESS 23 mm

23mm



MADE IN PORTUGAL


PAGE 9

www.limpope.pt

ADDRESS
Rua 25 de Abril Nº 476 - Pevidém
4835-296 Guimaraes

CONTACT INFORMATION
(+351) 253 577 411
(+351) 938 625 615


WEB
geral@limpope.pt
www.limpope.pt



PRODUCT CUSTOMIZATION EXAMPLES

Limpopé®

REF. 10029



SPECIFICATIONS

REF. 10029 - NOMAD TERRA 9100

STRUCTURE AND MATERIAL	Vinyl wave grid mat, no rubber backing.
THICKNESS	14 mm
WEIGHT PER M2	8,9Kg (approx.)
DIMENSIONS	90cm x 6m mat rolls
COLOR	Gray
ANTI-SLIP SURFACE	Its surface assures great stability and floor adherence.
RESISTANCE	Maximum, suitable for high traffic including heavy trolleys or similar wheeled objects
INDICATED FOR	Outdoor, indoor or wet areas.
MAINTENANCE	Vacuum and water cleaning.

REF. 10030



SPECIFICATIONS

REF. 10030 - NOMAD TERRA 8100

STRUCTURE AND MATERIAL	Vinyl cushion mat, no rubber backing.
THICKNESS	15 mm
WEIGHT PER M2	7Kg (approx.)
DIMENSIONS	1,20m x 6m mat rolls.
COLORS	gray or others.
INDICATED FOR	Outdoor, indoor or wet areas.
MAINTENANCE	Vacuum and water cleaning.
CUSTOMIZATION	Possible upon request.

REF. 10035-SB



SPECIFICATIONS

REF. 10035-SB - CUSHION S/BASE NOMAD TERRA

STRUCTURE AND MATERIAL	Vinyl cushion mat, no rubber backing.
THICKNESS	12 - 15 mm
WEIGHT PER M2	5Kg (approx.)
DIMENSIONS	1,20m x 12m mat rolls
COLORS	Black or gray
INDICATED FOR	Outdoor, indoor or wet areas.
MAINTENANCE	Vacuum and water cleaning.
CUSTOMIZATION	Possible upon request.










VINYLGRID MODELS

REF. 10104 / REF. 10105

Limpopé®


SPECIFICATIONS	REF. 10104 / REF. 10105
STRUCTURE AND MATERIALS	Flexible DINP plasticized Polyvinyl Chloride (PVC) grid mat.
RESISTANCE	ASTM F 1677 - Dry/Wet: 06/06 DIN 51097: Classification C. Designed to function at temperatures from -23°C and up to +60°C (slight size variation may occur at extreme temperatures).
LENGTH	500cm mat rolls.
WIDTH	60 / 91 / 120 cm.
COLORS	Green, dark brown, black, oxford blue, dark gray.
MAINTENANCE	Only regular cleaning. Suitable for pressure washing.
THICKNESS	REF. 10104 - 10,5 mm / REF. 10105 - 14 mm
WEIGHT PER M2	REF. 10104 - 8,7 Kg / REF. 10105 - 10,5 Kg
WARRANTY	3 years.
UV LIGHT	Resistant to degradation.
ENVIRONMENT	100% recyclable.
FIRE RESISTANCE	Fire retardant properties according to EN ISO 13501-1:2007 - CFL-S1**
ANTI-SLIP SURFACE	100% non-slip structure.
INDICATED FOR	Multi-purpose use. Excellent in wet areas, high drainage capacity. Kitchens, behind counters, delivery vans, changing rooms, bakeries, etc...
HYGIENIC	Non-porous, 100% virgin PVC.

MAIN CHARACTERISTICS

						
Durable	Anti-slip	Excellent drainage	Resistant filaments	Flexible	Resistant to high traffic	Rollable



POLYAMIDE MODELS



REF. 10063


Limpopé®

SPECIFICATIONS	REF. 10060 / REF. 10063 / REF. 10065
UPPER MATERIALS	REF. 10060 - 100% Polyamide / REF. 10063 - 100% PP / REF. 10065 - BCF Polypropylene with 6400 dtex. (+/- 5%)
UNDERSIDE MATERIALS	REF. 10060 - Non-slip vinyl backing / REF. 10063 - Non-slip rubber backing / REF. 10065 - Non-slip vinyl backing.
THICKNESS	REF. 10060 - 8 mm / REF. 10063 - 10 mm / REF. 10065 - 8mm (+ / - 5%)
WEIGHT PER M2	REF. 10060 - 3,64 Kg / REF. 10063 - 3 Kg / REF. 10065 - 5,98 Kg
DIMENSIONS	REF. 10060 - 1/1,30/2m wide x 12m long mat rolls. REF. 10063 - 2m wide x 15m long mat rolls. REF. 10065 - 1/1,50/2m wide x 10m long mat rolls.
COLORS	REF. 10060 - Black, brown, light gray, green, blue, burgundy. REF. 10063 - Anthracite, gray, dark gray, brown, others. REF. 10065 - Black, light brown, dark brown, green, blue, burgundy.
INDICATED FOR	Indoor areas.
MAINTENANCE	Regular vacuum cleaning.
MOISTURE RETENTION	Excellent.
ANTI-SLIP SURFACE	Great adherence to the floor.

REF. 10065









REF. 10060




THICKNESS



MAIN CHARACTERISTICS

					
Anti-slip	Easy Vacuum Cleaning	Resistant Filaments with Backing	Flexible	Resistant to High Traffic	Rollable



MADE IN EU

PAGE 12

www.limpope.pt

ADDRESS
Rua 25 de Abril N° 476 - Pevidém
4835-296 Guimarães

CONTACT INFORMATION
(+351) 253 577 411
(+351) 938 625 615

WEB
geral@limpope.pt
www.limpope.pt